Burkina Faso Livelihood Zones

Zone 1- Roo	Zone 1- Root crops and maize			
Food crops	Maize	Rainfall is an average 900 mm per year. Agriculture is mainly rain fed with		
	Root crops	little mechanization. This is a seasonal grazing area for transhumant herds.		
Income	Cross-order trade, timber cutting, hunting and fishing, tourism.	Main income earning activities are cross border trade, timber cutting, hunting and fishing, tourism, and migrant laborers from the plateau. Major hazards are flooding, conflicts between pastoralists and cultivators over crop damage, high		
Livestock	cattle	incidence of animal parasites especially trypanosomiasis.		

Zone 2- maiz	Zone 2- maize, rice, fruit, cotton			
Food crops	maize, rice	Rainfall is around 100mm per year. Agriculture is rain fed and irrigated. There		
Income	fruit, cotton cultivation,	is off season cultivation. Income generating activities are small industry		
	small industry	employment, intensive livestock husbandry, highly mechanized cotton		
	employment, livestock	cultivation, petty trade, tourism, hunting and fishing and seasonal agriculture		
	husbandry, petty trade,	employment. This zone is the main international road entry point. It is also a		
	tourism, hunting and	seasonal grazing area and transit area for transhumant herders. Major hazards		
	fishing and seasonal	include incidents of conflict between cultivators and pastoralists over crop		
	agriculture employment	damage, floods and animal parasites especially trypanosomiasis.		
Livestock	Cattle			

Zone 3- maize, rice, fruit, cotton			
Food crops		Rainfall is between 700 and 900 mm per annum. There is livestock husbandry	
Income	cotton production, maize	towards the north with limited grazing migration. About 4000 hectares are	
	sales	under irrigation. Income generating activities are cotton production, maize sales.	
Livestock	cattle	There are generally no problems of food sufficiency. The main hazard is	
		trypanosomiasis, an animal parasite.	





Zone 4- sorghum, millet, cotton			
Food crops	Sorghum, millet	Rainfall is between 700 and 900 mm per annum. There are more than 100	
Income	cotton production, milk,	hectares under rice cultivation. Plow cultivation is highly developed, and there	
	paid agricultural labor	is sedentary livestock husbandry. It is also a major seasonal grazing area for	
Livestock	Cattle, goats, sheep,	incoming herds. Milk is highly consumed, and middle income households have	
	chickens	about two milk cows and up to 20 goats or sheep. Poorer households have up to	
		ten small stock and ten chickens. There are local opportunities for paid	
		agriculture labor, but young men generally migrate to Ouagadougou city, and	
		also from the north to the west of the zone. There are pockets of frequent rain	
		failure, but generally rainfall is moderate. Major cash crops are susceptible to	
		price swings, especially cotton. Chronic malnutrition is a problem documented	
		in several studies.	

Zone 5-	
Food Crops	This is a densely populated zone around the central plateau area surrounding
Income	Ouagadougou city. Rainfall is between 600 and 800mm per year, and major
Livestock	crops produced are green beans, tomatoes, and cabbages. There is small scale
	livestock husbandry, and this is a transit zone for migrating herds. Local
	animals are subject to limited grazing land. A peri urban milk sales network is
	developing. Cereal production is practiced intensively, semi intensively, and
	extensively. Much work out migration is taking place. Most households have no
	cattle but five to ten small stock and some poultry. Poor households have about
	one hectare of arable land, middle income groups have roughly three hectares,
	and the better off have ten to twenty hectares. Population pressure makes for
	continuous sub division of family land and land degradation. Major hazards are
	frequent meningitis outbreaks, insecurity, property and livestock thefts, and
	Newcastle disease among poultry. This is the most food insecure zone in the
	country.

Zone 6- Sorgh	Zone 6- Sorghum, millet, cotton, sedentary livestock			
Food sources	Sorghum,	Rainfall is an average 600-800mm per year. There is a relatively sparse population		
	millet	practicing sedentary livestock husbandry. Cultivation is on relatively small areas of about		
Sedentary	cotton	one hectare, but it is nevertheless a main source of grain for the Sahel region. Roads are		
livestock,		often impassable during the rainy season and the road network is weak.		
Livestock	Sedentary			
	livestock,			

Zone 7- Livestock and millet			
Food sources	Cereals	Annual rainfall is between 400 and 600mm per annum .An average household has two to six	
Income	Selling	cattle and fifteen to twenty small stock. Poor households have three to six small stock and	
	livestock	some poultry. There is the general problem of isolation from markets. Poor households have	
Livestock	Cattle	to sell livestock locally at low prices and buy cereals coming in from further south at high	
	small	prices. Work migration is to Ivory coast, and also to local gold digging sites. This augments	
	livestock,	basic livestock and cereals production especially in bad rainfall areas. Major hazards are rain	
	poultry,	shortfalls, periodic droughts and conflict over land resources between livestock and crop	
	sedentary	producers.	
	livestock		



Zone 8- Transhumant pastoralism and millet			
Food sources	millet	Rainfall is between 300 and 500mm per year. This is a zone of wide rangelands where	
Income	millet	livestock herding is the primary economic activity as both transhumant and nomadic	
	trade,	pastoralists. Seasonal migration happens southwards during bad years. Cattle and camels	
Livestock	Cattle,	are main livestock, but sale of small stock is used to pay for the staple grain. During	
	small	drought periods cattle is sold and small stock is purchased. A middle income household	
	stock,	has ten to twenty cattle and fifteen to twenty small stock and several donkeys. Poor	
	camels,	households have between two and ten milking cows, and five to ten small stock and	
	donkeys	mainly live by working for others. Agriculture production is a minor activity, although	
		enough millet is grown for trade. Drought resistant cow peas are the main cash crop in	
		rain short times. Cash crop trade is women dominated while the livestock trade is a male	
		domain. Major hazards are rainfall shortfalls, grasshopper attacks, and flash floods. This	
		is a high risk production environment.	

Zone 9- millet, groundnuts, sorghum, cross border trade, tourism, hunting			
Food	millet,	Rainfall is an average 1000mm per year. This a high savannah region, and main crops	
sources	groundnuts,	are long cycle millet, sorghum, and groundnuts are a major cash crop. There are	
	sorghum,	classified forest areas. Main income earning activities are cross border trade, hunting,	
Income	cross	and tourism. Good cash earnings are made from trade because of the sparse population	
	border	and limited interest in crop cultivation. There is more interests in gardening.	
	trade,		
	tourism,		
	hunting		
Livestock			

